

Orthopedics




#### **Orthopedics**

	Knee
2	Shoulder
3	Hip

Elbow / Foot	
Hand / Fingers / Toes	
FLUID MANAGEMENT Suction and Irrigation Pumps	
Universal Motor Systems	

Battery-powered tools bee-system II







Meniscal and Sof	t Tissue Resection / Extraction	on	
Meniscus Refixat	on		
Treatment of Cart	ilage Defects		
Cruciate Ligamer	t Reconstruction		



#### Basic Equipment

for diagnostic and operative arthroscopy

Product	Product no.	Quantity	Catalog / Section		
Endoscopes and Instruments					
PANOVIEW telescope 30° Ø 4mm SL 170mm	8880.543	1			
Sheath for arthroscope OD 6mm	89121.1260	1			
Obturator for arthroscope OD 5.5/6/6.3mm	89121.0542	1			
Fiber light cable bndl, Ø 3.5 mm, 2.3 m long	806635231	1			
Hook probe WL 115mm H 4.5mm	8399.95	1			
ARTHROline punch W 4.6mm H 1.6mm, straight sheath	89140.0102	1	Orthopedics / Knee		
ARTHROline punch W 5.5mm H 1.6mm, sheath curved to the left	89140.0101	1			
ARTHROline punch W 5.5mm H 1.6mm, sheath curved to the right	89140.0103	1			
ARTHROline hook punch W 3mm H 1.6mm, straight sheath	89140.0202	1			
Grasping forceps Ø 3.4mm	8488.096	1			
Meniscus grasping forceps Ø 4/7mm	8403.001	1			
Treatment of Cartilage Defects – Microfracture					
Curette, round, Ø 4.5mm WL 95mm	8435.902	1			
Curette, round, Ø 6mm WL 95mm	8435.903	1			
Microfractor WL 110mm 15°, curved	8435.951	1			
Microfractor WL 110mm 30°, curved	8435.963	1			
Microfractor WL 110mm 45°, curved	8435.952	1	Orthopedics / Knee		
Microfractor WL 110mm 35°, curved	8435.953	1			
Microfractor WL 110mm 60°, curved	8435.956	1			
Microfractor WL 110mm 60°, curved	8435.966	1			
Microfractor WL 110mm 80°, curved	8435.968	1			
Shaver Set					
PowerSpeed AS1 MOTOR CONTROL UNIT 2305	2305001	1			
Remote footswitch 2 pedals+2 buttons	2305100	1			
Motor handpiece max. 16000rpm	8995500031	1			
Resector toothed Ø 4.5mm	89975.0034	1	Orthopedics / Motor System		
Resector oval, Ø 4.5mm	89975.0114	1			
Resector aggress Ø 4.7mm	89975.0334	1			
Acromionizer Ø 5.5mm	89975.0555	1			
Fluid Management		_			
FLUID CONTROL arthro/spine suc./irrig.pump bndl	22040011	1	Orthopedics / FLUID CONTROL		
Irrigation tube set spike L 3m	4171223	1	Suction irrigation pump		
Imaging					
ENDOCAM Logic HD Camera Controller bndl	55251051	1			
ENDOCAM Logic HD camera head cable 3 m	85525922	1	Imaging / ENDOCAM		
RIWO zoom lens F 13–29mm	85261504	1			
Light source LED 2.2 bndl	51640011	1			
Light source LED 1.1 bndl	51600011	1	Imaging / Light Sources		
LCD monitor 27" 4K	LMD-X2705N	1	Imaging / Monitors		
Monitor mount VESA 75/100	321165001	1	Imaging / Device Carts		






#### Overview

Knee

art	nro Lutia	u	Fingers, toes	Hand	Foot,	elbow	Knee, shoulder, hip
		Telescope Ø	1.9 mm	2.4 mm	2.7 mm		4.0 mm
		PANOVIEW telescope	8860453	8871413	8476.433	8672.422	8880.543
Telescopes	30°	PANOVIEW wide angle telescope					8885.443
Teles	700	PANOVIEW telescope					8880.545
	70°	PANOVIEW wide angle telescope					8885.445
		Sheath WL	40 mm	60 mm	77.5 mm	145 mm	130 mm
	wit	h 1 irrigation stopcock, fixed	891220124	891220132			
	with	a 2 irrigation stopcocks, fixed					89121.0260
	with	1 irrigation stopcock, rotatable				891241141	
Sheaths	with 2	? irrigation stopcocks, rotatable		891221232	891221241	891241241	89121.1260
	High-Flo	w with 1 irrigation stopcock, fixed	891220128				
	High-F	low with 2 irrigation stopcocks, rotatable		891221235			89121.1263
	Small-c	aliber with 2 irrigation stopcocks, rotatable					891221255
		blunt			891222754		89121.0544
		semi-blunt	891221952	891222452			89121.0542
Obturators		conical blunt			891222750	891242750	89121.0540
		sharp				891242761	89121.0640
		conical pointed	891221962	891222462	891222762		
Sealing	part for sh	eath				891040000	

#### Arthroscope with PANOVIEW Telescope $\emptyset$ 4 mm





Recommended accessories		Product no.
Perf. basket for standard telescope 1	(L x B x H) 297 x 59 x 54 mm	38015
Fiber light cable bndl Comprising: Fiber light cable (80663523), adapter projector side (8095.07) and adapter endoscope side (809509)	Ø 3.5 mm, 2.3 m long	806635231




#### Arthroscope with PANOVIEW Wide Angle Telescope






## anthrough Sheath for Arthroscope

#### with automatic click-lock mechanism



Spare parts	Product no.
Irrigation ring with 1 stopcock	150081761
Irrigation ring with 2 stopcocks	150081762
Stopcock insert, bundle, cap 3.0mm (PACK= 5 PCS) Also: Disassembly tool	896.0002 38310.0001
Mounting ring	15008.1704
Spare sealing comprising: O-rings, small / large, 5 of each Also: O-ring tool (disassembly tool)	15176.142 15106.230

Recommended accessories	Product no.
Sealing part for sheath	89101.0000
Marking rod Ø 4.0mm conical blunt TL 325 mm	8863.75




Recommended accessories		Product no.
Perf. basket for standard telescope 1	(L x B x H) 297 x 59 x 54 mm	38015
Fiber light cable bndl Comprising: Fiber light cable (80663523), adapter projector side (8095.07) and adapter endoscope side (809509)	Ø 3.5 mm, 2.3 m long	806635231

spirit of excellence

#### Drainage Cannula Ø 2.3 mm / 3.7 mm







		8303.5		2.1.
Drainage for cannula and obturator	Capacity	Ø	WL	Product no.
Drainage for cannula Ø 3.2 mm WL 80 mm with 1 insufflation stopcock	2.3 mm	3.2 mm	80 mm	8302.09
Drainage for cannula Ø 4.5 mm WL 71.5 mm with 1 insufflation stopcock	3.7 mm	4.5 mm	71.5 mm	8303.09
Drainage for cannula Ø 4.5 mm WL 71.5 mm with 2 insufflation stopcocks	3.7 mm	4.5 mm	71.5 mm	8303.50
Obturator for cannula OD 3.2 mm sharp, with slanted tip		2.3 mm	103 mm	8302.101
Obturator for cannula OD 3.2 mm conical blunt tip		2.3 mm	103 mm	8302.11
Obturator for cannula OD 4.5 mm sharp, with pyramid-shaped tip		4.5 mm	115 mm	8303.10
Obturator for cannula OD 4.4 mm conical blunt tip		4.4 mm	115 mm	8303.11
Also:			I	
Silicone tube with Luer fitting 886.00	for Drainage for cannula 8302.09			8302.90
Silicone tube with Luer fitting 886.01	for Drainage for cannula 8303.09 /.50		Length 2.0 m	

	P757962 R.WI	□LF8399.901 C€ 6	
	н	WL	Product no.
Hook probe WL 115mm H 7mm, graduated	7.0 mm	115 mm	8399.901
Hook probe WL 115mm H 4.5mm, graduated	4.5 mm	113 111111	8399.95



ø	ΤL	Product no.
~		Troddor no.
4.0 mm	325 mm	8863.75




spirit of excellence anthro Punch




#### Versions

arthry Punch




Push control rod can be opened up for cleaning, disinfection, and s	terilization			arthro	Alana Alana						
ARTHROline	Jaw section (Height x width)	Cut width	WL	Stra- ight	Curved to the right	Curved to the left	Sheath curved upward	Jaw section curved upward	Product no.		
Punch W 4.6mm H 1.6mm movable jaw section serrated  Sectional view:				•					89140.0105		
Punch W 4.6mm H 1.6mm movable jaw section serrated  Sectional view:	1.6 x 4.6 mm							•	89140.0102		
Punch W 4. mm H 1.6mm movable jaw section serrated  Sectional view:		3.3 mm	120 mm				•		89140.0122		
Punch W 5.5mm H 1.6mm movable jaw section serrated  Sectional view:	1.6 x 5.5 mm							•		•	89140.0101
Punch W 5.5mm H 1.6mm movable jaw section serrated  Sectional view:	1.0 x 0.0 Hill				•			•	89140.0103		







## anthroine Punch / Scissors Punch



anthroine Hook Punch / Basket Punch

ARTHROline	Jaw section (Height x width)	Cut width	WL	Straight	Jaw section curved upward	Product no.
Hook punch W 3mm H 1.6mm						
	=			•		89140.0205
Sectional view:	1.6 x 3.0 mm	1.8 mm				
Hook punch W 3mm H 1.6mm						
					•	89140.0202
Sectional view:						
Basket punch W 6.5mm H 2.1mm oval						
		4.5 mm	120 mm	•		89140.0305
Sectional view:	2.1 x 6.5 mm					
Basket punch W 6.5mm H 2.1mm						
					•	89140.0302
Sectional view:						
Hook punch W 4mm H 2.1mm						
				•		89140.0405
Sectional view:	2.1 x 4.0 mm	2.1 mm				
Hook punch W 4 m H 2.1mm						
					•	89140.0402
Sectional view:						

Push control rod can be opened up for cleaning, disinfection, and ste	rilization			through the second seco			
ARTHROline	Jaw section	Cut width	WL	Straight	Retrograde	Jaw secti- on curved	Product no.

ARTHROline	Jaw section (Height x width)	Cut width	WL	Straight	Retrograde cutting	Jaw secti- on curved upward	Product no.
Scissors punch W 2.4mm H 2.1mm				•			89140.0505
Sectional view:	2.1 x 2.4 mm	0.9 mm					
Scissors punch W 2.4mm H 2.1mm	2.1 X 2.4 11111	.4 mm   U.9 mm	7 mm				
						•	89140.0502
Sectional view:							
Punch W 5.7mm H 4mm retrograde left-cutting			120 mm	•	left		89140.0605
Sectional view:	40,457,700	0.2					
Punch W 5.7mm H 4mm retrograde right-cutting	4.0 x 5.7 mm	2.3 mm					
Sectional view:				•	right		89140.0602


# spirit of excellence

# Suction Punch / Suction Grasping Forceps with Integrated Suction Channel

#### Hook Punch / Punch

With integrated suction channel	Ø	WL	Product no.
Suction punch Ø 2.7mm	2.7 mm		89140.0027
can be dismantled		110 mm	67140.0027

R:WIDLF 8403:925						
With integrated suction channel	Sheath Ø	WL	Product no.			
Suction punch Ø 4.5mm straight	45	120	8403.925			
Suction grasping forceps straight	4.5 mm	130 mm	8403.851			



VII2.1 || Subject to modifications. Please note that some products may not be available in all countries. For more c


spirit of excellence Scissors





	Jaw section (Height x width)	Jaw section deflection	Cut width	WL	Product no.
Punch Ø 3.4mm front- and side-cutting	00.50	90° left			8404.017
Sectional view:	2.2 x 5.3 mm	90° right	3.4 mm	130 mm	8404.018
Hook punch with shovel Ø 3.4mm	0.10.0	45° left	17		8404.71*
Sectional view:	2.1 x 2.0 mm	45° right	1.7 mm		8404.81*

<sup>\*</sup> particularly suitable for lateral cutting and smoothing



Ortho18

Punch

Knee

RICHARD (M)


spirit of excellence

# spirit of excellence


#### Forceps


Knee

#### Suture Grasping Forceps / Meniscus Grasping Forceps



Handle with lock	Ø	WL	Product no.			
Grasping forceps Ø 3.4mm straight jaw section, serrated	3.4 mm	130 mm	8488.096			
Grasping forceps Ø 4.5mm straight jaw section, serrated	4.5 mm	134 mm	8489.096			










#### Hand Instruments Curette




	43 N.WDCF 0430.101			
	WL	Product no.		
raight scalpel WL 125mm				
		8436.101		
osette knife WL 125mm				
Europe -		8436.151		
ook knife WL 125mm				
	125 mm	8436.201		
anana knife WL 125mm				
		8436.251		
traight arthro knife WL 125mm				
		8436.301		



VII21 || Subject to modifications. Please note that some products may not be available in all countries. For more detailed information


spirit of excellence

#### Hand Instruments Curette









	Deflection	WL	Product no.
Microfractor WL 65mm 30°	Curved 30°		891643011
Microfractor WL 65mm 45°	Curved 45°	65 mm	891644511
Microfractor WL 65mm 60°	Curved 60°		891646011

Ortho24

forward cutting




#### Hand Instruments Microfractor




#### Hand Instruments Cartilage File, Spoon, Curette ACL Hammer





	S R.WULF 1835-755		
		TL	Product no.
ACL hammer		248 mm	8866.956



1431/154			
	Deflection	WL	Product no.
Mikrofractor WL 110mm 45°	45° curved	110 mm	8435.952

# graft<sub>line</sub> Instrument System

Spirit of excellence

graft<sub>line</sub> Removal of an Autologous Tendon

Semitendinosus Tendon and/or Gracilis Tendon



for arthroscopic cruciate ligament surgery



#### Modular concept

The system's outstanding performance is provided by its unparalleled diversity and universality. **Graftline** offers highly specialized – and in some cases patented – technology for a huge range of surgical options.

- Efficiency goes hand in hand. Minimal handles and intuitive connection options for all instruments save on space and weight.
- ACL and PCL in one instrument.

**Graftline** provides the instruments for anterior and posterior cruciate ligament plastic surgery in intelligent combinations.

Well prepared for optimum grip.

With the Graftline instruments and implants, the surgeon is perfectly prepared for all eventualities, for example, if reruptures occur.


#### A choice of fixing options

**Graftline** allows the ideal fixation method to be selected for the cruciate ligament graft, without the need for major adjustments. We offer a tried-and-tested range of fixing implants.

#### Unique perspectives

**Graftline** gives surgeons access to all methodological channels – from standard techniques to innovative specific solutions.

BTB, BT grafts, hamstrings, allografts, oval tunnel technique, and hollow-burr technique: one system – a wealth of possibilities.





VII21 || Subject to modifications. Please note that some products may not be available in all co

Ortho28

## graftline

#### Removal of an Autologous Tendon

Quadriceps or patellar tendon





#### Removal of an Autologous Tendon

Quadriceps or patellar tendon



	F	6215HF28 / 100			
		Inner Ø	Outer Ø	WL	Product no.
Hollow burr SZ 8	<ul> <li>For efficient removal of the bone</li> </ul>	8,4 mm	9,4 mm		8869.841
Hollow burr SZ 9	blocks for BT or BTB transplants when using the quadriceps or patellar tendon  For application with the bee-system II oscillating	9,4 mm	10,4 mm	90 mm	8869.843
Hollow burr SZ 10	ream machine F-31-700-00	10,4 mm	11,4 mm		8869.844

				9927 LCG SIGN	
		Inner Ø	Outer Ø	WL	Product no.
Hollow drill bit SZ 8		7,4 mm	8,5 mm		8869849
Hollow drill bit SZ 9	<ul> <li>For application with the bee-system II oscillating ream machine F-31-700-00</li> </ul>	8,4 mm	9,5 mm	185 mm	8869.851
Hollow drill bit SZ10		9,4 mm	10,5 mm		8869.852

R. WOLF General SSSS. SEZZ. 450002460 C. School St.							
		Inner Ø	Outer Ø	WL	Product no.		
Bone elevator SZ 8		8,4 mm	11,1 mm		8868.921		
Bone elevator SZ 9	<ul> <li>Harvesting the bone blocks from the patella after using hollow burrs</li> <li>Different diameters</li> </ul>	9,4 mm	11,2 mm	130 mm	8868.922		
Bone elevator SZ 10	to remove the bones blocks	10,5 mm	12,5 mm		8868.923		

			C€ R.WOLF mas	921
		Outer Ø	WL	Product no.
Suture puller WL 350mm	<ul> <li>Passing the threads to pull in the transplant into the hollow burrs</li> </ul>	4 mm	350 mm	8869.921

#### graft<sub>line</sub> **Graft Fixation**

spirit of excellence

spirit of excellence

Implant-free press-fit fixation for patella or quadriceps tendon

Product no. • For introducing the cylindrical bone plug into the femoral tunnel 8869.991 110 mm • For use via the **transibiale** portal Curved plunger WL 110mm



Präparation des Transplantate	es.
Arthroscopic workstation	

		Product no.
	Preparation table. tendon prep. bndl consisting of: Preparation table (88669023) Preparation plate (8866905) Transplant template SZ 5-13mm (8866953) Clamp insert (8866962) Hook clamp (8866935) Parallel screw clamp (8866961) RIWObutton interface (8866969) Tendon transplantat BT / BTB 6mm (8866966) don transplantat BT / BTB 8mm (8866968) Leading hook8866936)	88669700
	Preparation table (LxWxH) 390 mm x 190 mm x 6 mm	88669023
	Preparation plate (LxB) 380 mm x 60 mm	8866905
Zamino de la	Transplant template SZ 5-13mm oval-shaped tunnels D 5 x 10, D 6 x 12, D 7 x 14	8866953
<u> </u>	Clamp insert	8866962
	Hook clamp	8866935
	Parallel screw clamp	8866961
	RIWObutton interface	8866969
J	Tendon transplantat BT / BTB 6mm	8866966
A Company of the Comp	Tendon transplantat BT / BTB 8mm	8866968
	Leading hook	8866936

Ortho32

## graft<sub>line</sub>

#### Preparing the Femoral Tunnel

Femoral aiming devices



Modular handles

	With coupling	Inner Ø	Product no.
Modular handle I-shaped cannulated		3.5 mm	893011135
Modular handle impact / deflection plate cannulated	•	3.5 mm	893011136
Handle I-shaped ID 3.2mm cannulated		3.2 mm	893011132
Modular handle, t-shaped cannulated		4,0 mm	893011137

891013 050/060/070/080/510/612/714 891014070/080/090/100 ACL Size Color coding Ø WL Product no. 891013050 ACL aiming device SZ 5mm 5 mm blue ACL aiming device SZ 6mm 891013060 6 mm green ACL aiming device SZ 7mm 7 mm red 891013070 cannulated, for the 891013080 ACL aiming device SZ 8mm 8 mm 2.5 mm 120 mm none anteromedial portal ACL aiming device SZ 5x10mm oval 5 x 10 mm 891013510 blue ACL aiming device SZ 6x12mm 891013612 oval 6 x 12 mm green cannulated, for the 891013714 ACL aiming device SZ 7x14mm oval 7 x 14 mm red anteromedial portal ACL aiming device AT 5 mm blue 891015050 SZ 5mm ACL aiming device AT 2.5 mm 120 mm 891015060 6 mm green SZ 6mm cannulated, for the ACL aiming device AT 891015070 7 mm red transtibial portal SZ 7mm PCL PCL aiming device AL 891014070 7 mm red SZ 7mm PCL aiming device AL 891014080 8 mm none SZ 8mm 2.5 mm 120 mm PCL aiming device AL 9 mm 891014090 SZ 9mm cannulated, for the PCL aiming device AL

10 mm

white

For use with the modular handles

SZ 10mm

anteromedial portal

~
a
ř
.0
$\simeq$
Ψ.
=
>
<u>-</u>
Ç
9
dire
_
0
er
<u>_</u>
art
ba
ntact
10
8
our
$\rightarrow$
÷.
<u>¥</u>
>
Sul
8
e)
ase
ea
<del>p</del>
n,
Ĕ
(3)
Ξ
orm
¥
-
0
<u>=</u>
Ū
ō
Э
10
Ξ
_
S
ιń
Ë.
Ξ
_
ount
coun
100
100
100
100
lable in all cou
le in all cou
ailable in all cou
vailable in all cou
be available in all cou
be available in all cou
ot be available in all cou
not be available in all cou
ay not be available in all cou
may not be available in all cou
ss may not be available in all cou
ss may not be available in all cou
ducts may not be available in all cou
ducts may not be available in all cou
roducts may not be available in all cou
e products may not be available in all cou
e products may not be available in all cou
some products may not be available in all cou
some products may not be available in all cou
at some products may not be available in all cou
that some products may not be available in all cou
that some products may not be available in all cou
that some products may not be available in all cou
at some products may not be available in all cou
ote that some products may not be available in all cou
ote that some products may not be available in all cou
ote that some products may not be available in all cou
ase note that some products may not be available in all cou
s. Please note that some products may not be available in all cou
s. Please note that some products may not be available in all cou
ons. Please note that some products may not be available in all cot
ations. Please note that some products may not be available in all cot
ons. Please note that some products may not be available in all cot
ations. Please note that some products may not be available in all cot
odifications. Please note that some products may not be available in all cou
difications. Please note that some products may not be available in all cot
odifications. Please note that some products may not be available in all cou
odifications. Please note that some products may not be available in all cou
odifications. Please note that some products may not be available in all cou
odifications. Please note that some products may not be available in all cou
odifications. Please note that some products may not be available in all cou
odifications. Please note that some products may not be available in all cou
ubject to modifications. Please note that some products may not be available in all cou
Subject to modifications. Please note that some products may not be available in all cou
ubject to modifications. Please note that some products may not be available in all cou
12.1 $\parallel$ Subject to modifications. Please note that some products may not be available in all cou
$1\parallel$ Subject to modifications. Please note that some products may not be available in all cou
///21    Subject to modifications. Please note that some products may not be available in all cou
///21    Subject to modifications. Please note that some products may not be available in all cou

Ortho34

Knee

Knee

1.5

891014100


## graftline

#### Preparing the Femoral Tunnel

Instruments



# For use with the modular handles WL Product no. Impacting chisel for indentation of the tunnel from Ø 4 to 9 mm, cannulated 2.5 mm 130 mm 891611110




\$-11-F-11-F	TERREBURES TO 1 TO	UCMF Germany 891510812-111an	
		WL	Product no.
Tunnel probe WL 140 mm graduated	For determining the length of the femoral tunnel – particularly when using the RIWObutton to determine the loop length	140 mm	891510012

### graft<sub>line</sub>

#### Preparing the Femoral Tunnel

Instruments for preparing oval tunnels






## graftline

#### Preparing the Tibial Tunnel

Compactors






Preparing the Tibial Tunnel

Tibial Alignment Devices





Single bundle ACL reconstruction							
CE R.WOLF B							
	Adjustable alignment device		Produ	ct no.bndl			
	bndl consitsing of:	Product no.	8874.013	8874.014			
	Base section for standard tibial*, graduated for alignment hook and spoon and for drill guide	8874.113	•	•			
	Aiming spoon tibial ACL	8874.123		•			
	Aiming hook tibial ACL	8874.121	•				
Alignment wire guide standard SZ 2.5		8874.131	•	•			

Double-bundle ACL reconstruction		Product no.
	Alignment ARC ZG tibial ACL right  For the double-bundle technique on the right knee	8874130
	Zielbügel ZG Tibial ACL links DB  For the double-bundle technique on the left knee	88741301
PCL reconstruction		Product no.
	Aiming spoon ZG tibial	8874129

Ortho38

Ortho39

Knee

## graftline

#### Preparing the Tibial Tunnel

Hollow drill extension set for harvesting bone cylinders



## $graft_{line}$

#### Preparing the Tibial Tunnel

ACL/PCL cross impactors





Hollow drill bit and Ejector	Inner Ø	Outer Ø	WL	Product no.
Hollow drill bit SZ 8	8,5 mm	7,4 mm	185	8869849
also: <b>Ejector SZ 8</b>				8869850
Hollow drill bit 9	9,5 mm	8,4 mm	185 mm	8869.851
also: <b>Ejector SZ 9</b>				8869.852
Hollow drill bit 10	10,5 mm	9,4 mm	185 mm	8869.853
also: <b>Ejector SZ 10</b>				8869.854

Base section, aiming spoon and aiming hook		Product no.
A SECTION ASSESSMENT OF THE PROPERTY OF THE PR	Base section for tibial drill graduated	8874.111
	Aiming hook tibial ACL	8874.121
	Aiming spoon tibial ACL	8874.123

Alignment wire guide hollow drill SZ	Product no.	
- ARRIGANIANAR IIII	Alignment wire guide hollow drill SZ 2.5 for use with base section 8874.111	8874.151
	Drill guide for hollow drill bit SZ 8 for use with base section 8874.111 and hollow drill bit 8869849 SZ 8	8874150
	Drill guide for hollow drill bit SZ 9 for use with base section 8874.111and hollow drill bit 8869.851 SZ 9	8874.152
	Drill guide for hollow drill bit SZ 10 for use with base section 8874.111and hollow drill bit 8869.853 SZ 10	8874.153

	Concept Jan	D		
		WL	Ø	Product no.
	Cross impactor Ø 5mm WL 150mm		5,0 mm	891511005
	Cross impactor Ø 5.5mm WL 150mm		5,5 mm	891511055
	Cross impactor Ø 6.0mm WL 150mm		6,0 mm	891511006
	Cross impactor Ø 6.5mm WL 150mm		6,5 mm	891511065
	Cross impactor Ø 7.0mm WL 150mm	150 mm	7,0 mm	891511007
	Cross impactor Ø 7.5mm WL 150mm		7,5 mm	891511075
Jacks Jacks III an Jacks	Cross impactor Ø 8.0mm WL 150mm		8,0 mm	891511008
	Cross impactor Ø 8.5mm WL 150mm		8,5 mm	891511085
	Cross impactor Ø 9.0m WL 150mm		9,0 mm	891511009
	Cross impactor Ø 9.5mm WL 150mm		9,5 mm	891511095
	Cross impactor Ø 10.0mm WL 150mm		10,0 mm	891511010
Cross impactor with distal cross profile cannulated	Cross impactor Ø 10.5mm WL 150mm		10,5 mm	891511105
For alignment wire / Kirschner wire Ø 2.5 mm	Cross impactor Ø 11.0mm WL 150mm		11,0 mm	891511011
also:				
	Modular handle, t-shaped with coupling, cannulated			893011137

#### graftline Preparing the Tibial Tunnel

Cannulated head drill





 $graft_{line}$ Perforated Baskets for Instruments Knee Arthroscopy Sterilization – storage – transport

		WL	Ø	Product no.
	Head drill Ø 4.5mm		4.5 mm	89960.1045
	Head drill Ø 5mm		5.0 mm	89960.1050
	Head drill Ø 5.5mm		5.5 mm	89960.1055
	Head drill Ø 6mm		6.0 mm	89960.1060
	Head drill Ø 6.5mm		6.5 mm	89960.1065
	Head drill Ø 7mm		7.0 mm	89960.1070
	Head drill Ø 7.5mm		7.5 mm	89960.1075
	Head drill Ø 8mm		8.0 mm	89960.1080
	Head drill Ø 8.5mm	145 mm	8.5 mm	89960.1085
	Head drill Ø 9mm	145 mm	9.0 mm	89960.1090
	Head drill Ø 9.5mm		9.5 mm	89960.1095
	Head drill Ø 10mm		10.0 mm	89960.1010
	Head drill Ø 10.5mm		10.5 mm	89960.1910
	Head drill Ø 11mm		11.0 mm	89960.1011
	Head drill Ø 11.5mm		11.5 mm	89960.1911
Head drill cannulated, Ø 2.65 mm TiN coating	Head drill Ø 12mm		12.5 mm	89960.1012
For alignment wire / Kirschner wire	Head drill Ø 12.5mm		12.5 mm	89960.1912
Ø 2.5 mm	Head drill Ø 13mm		13.0 mm	89960.1013
Kirschner alignment wire Ø 2.5mm triangular grinding		TL 300 mm without suture eyelet	2.5 mm	89120.3025
Kirschner alignment wire Ø 2.5mm spiral grinding		TL 310 mm without suture eyelet	2.5 mm	89960.1025
Kirschner alignment wire Ø 2.5mm spiral grinding		TL 430 mm with suture eyelet	2.5 mm	89960.1125

Illustration	Description	Product no.
Perf. basket – knee arthrosc. Basic set	Holds: knee arthroscopy basic set, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (wxhxd): 513x134x233mm, outer dimensions (wxhxd): 549x150x250mm	33007
Perf. basket – knee arthrosc. ACL/PCL 1	Holds: instrument set for knee arthroscopy ACL/PCL 1, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (wxhxd): 513x134x233mm, outer dimensions (wxhxd): 549x150x250mm	33008
Perf. basket – knee arthrosc. ACL/PCL 2	Holds: instrument set for knee arthroscopy ACL/PCL 2, f for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (wxhxd): 513x134x233mm, outer dimensions (wxhxd): 549x150x250mm	33009
Perf. basket	Holds: knee arthroscopy preparation table, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (wxhxd): 513x134x233mm, outer dimensions (wxhxd): 549x150x250mm	33010

passend für Standard Container (1 STE = 1 Sterilguteinheit)


Ortho42

# graft<sub>line</sub> Graft Fixation

spirit of excellence

0.0	,	
Tendon	anchor,	/RIWObutton

Tendon anchor		Size	Product no.
T-Lock OSTEOTRANS	T-Lock OSTEOTRANS tendon anchor, sterile	6	OLRA-6
		7	OLRA-7
		8	OLRA-8
		9	OLRA-9



## graft<sub>line</sub>

#### **Graft Fixation**

Bioactive and bioresorbable interference screws "OK-Serie"



Bioact IF OSTEOTRANS "OK" interference screws		44000000		
	Thread Ø	Length	Hole	Product no.
BioactIF OSTEOTRANS 7 X 25, sterile	- / mm -	25 mm		OK0725A
BioactIF OSTEOTRANS 7 X 30, sterile		30 mm		OK0730A
BioactIF OSTEOTRANS 8 X 25, sterile	0	25 mm	0.0	OK0825
BioactIF OSTEOTRANS 8 X 30, sterile	8 mm	30 mm	2,2 mm	OK0830
BioactIF OSTEOTRANS 9 X 25, sterile	0.000	25 mm		OK0925
BioactIF OSTEOTRANS 9 X 25, sterile	9 mm	30 mm		ОКО930



Thread cutter		For OK screws	Product no.
	Thread cutter for OK screws SZ 7 mm	Size 7 mm	891800700
	Thread cutter for OK screws SZ 8 mm	Size 8 mm	891800800
	Thread cutter for OK screws SZ 9 mm	Size 9 mm	891800900

Guide wire		Ø	TL	Product no.
	Nitinol guide wire Ø 1.2mm	1.2 mm	350 mm	89120.2012

#### graftline **Graft Fixation**

**Bioact** IF osteotrans

Bioactive and bioresorbable interference screws "BK-Serie"

spirit of excellence

spirit of excellence

Bioactive and bioresorbable interference screws "RK-Serie"

Bioactif OSTEOTRANS OD 10mm L 25mm


ase consult with your contact partner or directly with Richard Wolf GmbH.
ctly with
or dire
t partne
r contaci
with you
consultv
asse

"BK" interference screws		**************************************		
	Thread Ø	Length	Hole	Product no.
BioactIF OSTEOTRANS 6 X 20, sterile	6 mm	20 mm		BK0620
BioactIF OSTEOTRANS 7 X 20, sterile		20 mm		BK0720
BioactIF OSTEOTRANS 7 X 25, sterile	7 mm	25 mm		BK0725
BioactIF OSTEOTRANS 7 X 30, sterile		30 mm	1	BK0730
BioactIF OSTEOTRANS 8 X 20, sterile		20 mm		BK0820
BioactIF OSTEOTRANS 8 X 25, sterile	8 mm	25 mm	1.7 mm	BK0825
BioactIF OSTEOTRANS 8 X 30, sterile		30 mm		BK0830
BioactIF OSTEOTRANS 9 X 20, sterile		20 mm		ВК0920
BioactIF OSTEOTRANS 9 X 25, sterile	9 mm	25 mm		BK0925
BioactIF OSTEOTRANS 9 X 30, sterile		30 mm	1	ВК0930
BioactIF OSTEOTRANS 10 X 25, sterile	10	25 mm		BK1025
BioactIF OSTEOTRANS 10 X 30, sterile	10 mm	30 mm		BK1030



Guide wire		ø	ΤL	Product no.
	Nitinol guide wire Ø 1.2mm	1.2 mm	350 mm	89120.2012

#### **Bioact** IF OSTEOTRANS "RK" interference screws conical, absorbable, sterile Thread Ø Length Hole Product no. Bioactif OSTEOTRANS OD 6mm L 20mm 20 mm RK0620 6 mm Bioactif OSTEOTRANS OD 7mm L 20mm 20 mm RK0720 Bioactif OSTEOTRANS OD 7mm L 25mm 7 mm 25 mm **RK0725** Bioactif OSTEOTRANS OD 7mm L 30mm 30 mm **RK0730** Bioactif OSTEOTRANS OD 8mm L 20mm 20 mm **RK0820** 1,5 mm Bioactif OSTEOTRANS OD 8mm L 25mm **RK0825** 8 mm 25 mm Bioactif OSTEOTRANS OD 8mm L 30mm RK0830 30 mm Bioactif OSTEOTRANS OD 9mm L 20mm 20 mm **RK0920** Bioactif OSTEOTRANS OD 9mm L 25mm RK0925 25 mm 9 mm Bioactif OSTEOTRANS OD 9mm L 30mm **RK0930** 30 mm



10 mm

25 mm

Ortho46

Ortho47

RK1025

Knee






Guide Wire

Guide wire		Ø	ΤL	Product no.
	Nitinol guide wire Ø 1.2mm	1.2 mm	350 mm	89120.2012





Shoulder



#### **Shoulder**

2	
3	
4	

Standard Equipment / Arthroscopes	
ARTHROline Punches	
Hook Probe / Marking Rod	
Reconstructive Shoulder Arthroscopy	



#### Basic Equipment

#### for shoulder arthroscopy

Product	Product no.	Quantity	Catalog / Section
Endoscopes and Instruments			
PANOVIEW telescope 30° Ø 4mm SL 170mm	8880.543	1	
Fiber light cable bndl, Ø 3.5mm, 2.3m long	806635231	1	
Sheath for arthroscope OD 6mm	89121.1260	1	
Obturator for arthroscope OD 5.5/6/6.3mm tip, semi-blunt	89121.0542	1	
Hook probe WL 115mm H 4.5mm graduated	8399.95	1	Orthopedics / Shoulder
ARTHROline punch W 4.6mm H 1.6mm jaws curved upward	89140.0102	1	
ARTHROline punch W 5.5mm H 1.6mm jaws curved upward, sheath curved to the left	89140.0103	1	
ARTHROline punch W 4.6mm H 1.6mm jaw section serrated, sheath curved upward	89140.0122	1	
ARTHROline hook punch W 4mm H 21.1mm straight jaw section	89140.0405	1	







#### Arthroscope with PANOVIEW Telescope $\emptyset$ 4 mm

# anthrough Arthroscope

Shoulder

tric	nro Lutio	u	Fingers, toes	Hand	Foot,	elbow	Knee, shoulder,
		Telescope Ø	1.9 mm	2.4 mm	2.7	mm	4.0 mn
		PANOVIEW telescope	8860453	8871413	8476.433	8672.422	8880.54
sobes	30°	PANOVIEW wide angle telescope					8885.44
Telescopes		PANOVIEW telescope					8880.54
	70°	PANOVIEW wide angle telescope					8885.44
		Sheath WL	40 mm	60 mm	77.5 mm	145 mm	130 mr
	with 1 irrigation stopcock, fixed		891220124	891220132			
	with 2 irrigation stopcocks, fixed						89121.02
	with 1 irrigation stopcock, rotatable					891241141	
Sheaths	with 2 irrigation stopcocks, rotatable			891221232	891221241	891241241	89121.12
	High-Flow with 1 irrigation stopcock, fixed		891220128				
	High-Flow with 2 irrigation stopcocks, rotatable  Small-caliber with 2 irrigation stopcocks, rotatable			891221235			89121.12
							8912212
		blunt			891222754		89121.0
		semi-blunt	891221952	891222452			89121.0
Obturators		conical blunt			891222750	891242750	89121.0
		sharp				891242761	89121.00
	conical pointed		891221962	891222462	891222762		

	SL	STORM A	STOM 25				
Dissaling of view		- CI		T⊙GLAVE ° C / 273° F			
Direction of view	PANOVIEW telescope 0° Ø 4mm SL 170mm	SL	Ø	Product no. 8880.541			
30°	PANOVIEW telescope 30° Ø 4mm SL 170mm	170 mm	4.0 mm	8880.543			
45°	PANOVIEW telescope 45° Ø 4mm SL 170mm			8880.544			
70°	PANOVIEW telescope 70° Ø 4mm SL 176mm	176 mm		8880.545			

Recommended accessories	Product no.	
Perf. basket for standard telescope 1	(L x B x H) 297 x 59 x 54 mm	38015
Fiber light cable bndl Comprising: Fiber light cable (80663523), adapter projector side (8095.07) and adapter endoscope side (809509)	Ø 3.5 mm, 2.3 m long	806635231

Shoulder



## arthroscope Sheath for Arthroscope

anthro Punch

Sectional view:




with automatic click-lock mechanism

High-	Small-	cope OD 6m	2 rotatable	Outer Ø	WL	Product no.	Obturator for arthroscope 5.5/6/6.3mm blunt	Obturator for arthroscope 5.5/6/6.3mm semi-blunt	Obturator for arthroscope 5.5/6/6.3mm conical blunt	Trocar tip, triangular SZ 4mm WL 176mm
Flow	caliber	stopcocks	stopcocks	Oulei Ø	WL	Floudel IIO.	DIUIII	Semi-bium	CONICCI DIUNI	WL 170IIIII
		•		6.0 mm	132 mm	89121.0260			20101 0540	
			•	6.0 mm	130 mm	89121.1260	90101 0544			90121 0440
•			•	6.3 mm	130 mm	89121.1263	89121.0544	89121.0542	89121.0540	89121.0640
	•		•	5.5 mm	130 mm	891221255				

Spare parts	Product no.
Irrigation ring with 1 stopcock	150081761
Irrigation ring with 2 stopcocks	150081762
Stopcock insert, bundle, cap 3.0mm (PACK= 5 PCS)	896.0002
Also: Disassembly tool	38310.0001
Mounting ring	15008.1704
Spare sealing comprising: O-rings, small / large, 5 of each	15176.142
Also: O-ring tool (disassembly tool)	15106.230

Recommended accessories	Product no.
Sealing part for sheath	89101.0000
Marking rod Ø 4.0mm conical blunt TL 325 mm	8863.75



	1.6 x 4.6 mm						•	89140.0102
Sectional view:								
Punch W 4. mm H 1.6mm movable jaw section serrated		3.3 mm	120 mm			•		89140.0122
Sectional view:								
Punch W 5.5mm H 1.6mm movable jaw section serrated					•		•	89140.0101
Sectional view:	1.6 v 5.5 mm							
Punch W 5.5mm H 1.6mm movable jaw section serrated	1.6 x 5.5 mm							

Ortho54

89140.0103

Shoulder

#### WL Product no. Hook probe WL 115mm H 7mm, graduated 7.0 mm 8399.901 115 mm Hook probe WL 115mm H 4.5mm, 4.5 mm 8399.95

	Ø	TL	Product no.
Hook probe TL 228 mm SZ 4.4mm	4.4 mm	228 mm	8863.80

STATE OF THE STATE			
	Ø	TL	Product no.
Marking rod Ø 4.0mm conical blunt	4.0 mm	325 mm	8863.75


Product	Product no.	Quantity	Catalog / Section
Endoscopes and Instruments			
Knot pusher WL 170mm	89150.3000	1	
Suture catcher WL 160mm	89150.3003	1	
Concave rasp WL 175mm W 4.75mm	89160.3003	1	
Convex rasp WL 175 mm W 4.75mm	89160.3002	1	
Straight rasp WL 175mm W 4.75mm	89160.3005	1	
Knife angled 15° WL 160mm W 4.5mm	89160.3015	1	
Distally cutting knife WL 160mm W 4.5mm	89160.3001	1	Outhorodics / Chaulder
Suture cutter Ø 5mm WL 200mm	891603000	1	Orthopedics / Shoulder
Suture grasping forceps Ø 3.3mm	891303300	1	
Grasping forceps Ø 3.4mm	8488.096	1	
Marking rod Ø 4.0mm, conical blunt	8863.75	1	
ENDOSPIKE shoulder suture instrument Ø 5.3mm	891403000	1	
Also: Needles for suture forceps, sterile	491403000	1	
Perf. basket for shoulder arthroscopy	33012	1	





#### Suture Cutter / Suture Grasping Forceps



# Shoulder Suture Instrument







VII $21\,\|$  Subject to modifications. Please note that some products may not be available in all st

Ortho58

Shoulder

2.4


2.4

spirit of excellence

Grasping Forceps

#### Hand Instruments





Grasping forceps for holding and repositioning the rotator cuff.



VII.2. || Subject to modifications. Please note that some products may not be available in all countries. For more detailed in




## Sterilization Basket for Instruments Used in Shoulder Arthroscopy Sterilization – storage – transport

Illustration	Description	Product no.
	Holds: instrument set for shoulder arthroscopy, for sterilization (steam and low-temperature), storage and transport, with instrument holders, inner dimensions (wxhxd): 513x95x233mm, outer dimensions (wxhxd): 538x117x250mm	33012
Perf. Basket for shoulder arthroscopy		
also:		
Fixing ring Ø 50.39mm	for perforated basket for flexible endoscopes, for fixing instruments during machine reprocessing, sterilization (steam and low-temperature), storage and transport, Ø 50,39x3,53mm, PACK=10 PCS	643301261

Suitable for standard container





Hip



### Hip

Arthrolution Arthroscopes Overview	
Telescopes and Sheaths	
Access Instruments	
Dilation Systems	
Irrigation Cannula	
Aiming Device	
Instruments	



### **Q** .



## anthrough Arthroscope

## Overview

VII21 || Subject to modifications. Please note that some products may not be available in all countries. For more detailed information, please consult with your contact partner or directly with Richard Wolf GmbH.

arth	nr <sub>Putio</sub>	u	Fingers, toes	Hand	Foot,	elbow	Knee, shoulder, hip
		Telescope Ø	1.9 mm	2.4 mm	2.7 mm		4.0 mm
		PANOVIEW telescope	8860453	8871413	8476.433	8672.422	8880.543
Telescopes	30°	PANOVIEW wide angle telescope					8885.443
Teles	700	PANOVIEW telescope					8880.545
	70°	PANOVIEW wide angle telescope					8885.445
		Sheath WL	40 mm	60 mm	77.5 mm	145 mm	130 mm
	with	n 1 irrigation stopcock, fixed	891220124	891220132			
	with	2 irrigation stopcocks, fixed					89121.0260
	with 1	irrigation stopcock, rotatable				891241141	
Sheaths	with 2	irrigation stopcocks, rotatable		891221232	891221241	891241241	89121.1260
	High-Flo	w with 1 irrigation stopcock, fixed	891220128				
	High-F	low with 2 irrigation stopcocks, rotatable		891221235			89121.1263
	Small-co	aliber with 2 irrigation stopcocks, rotatable					891221255
		blunt			891222754		89121.0544
		semi-blunt	891221952	891222452			89121.0542
Obturators		conical blunt			891222750	891242750	89121.0540
		sharp				891242761	89121.0640
		conical pointed	891221962	891222462	891222762		
Sealing p	oart for she	eath				891040000	

## Telescope Ø 4 mm

for 4 mm arthroscopes



### **COXARTIS**

### Sheath $\emptyset$ 4 mm

for 4 mm arthroscopes



Irthroscope

4.2

	SL	- Some		
			134	TOGLAVE ° C / 273° F
Direction of view		SL	Ø	Product no.
0°	PANOVIEW telescope 0° Ø 4mm SL 170mm			8880.541
30°	PANOVIEW telescope 30° Ø 4mm SL 170mm	170 mm	4.0 mm	8880.543
45°	PANOVIEW telescope 45° Ø 4mm SL 170mm		4.U mm -	8880.544
	PANOVIEW	176 mm		8880 547

Recommended accessories		Product no.
Perf. basket for standard telescope 1	(L x B x H) 297 x 59 x 54 mm	38015
Fiber light cable bndl Comprising: Fiber light cable (80663523), adapter projector side (8095.07) and adapter endoscope side (809509)	Ø 3.5 mm, 2.3 m long	806635231

telescope 70° Ø 4mm SL 171mm

176 mm

8880.547

<b>←</b>					
	2 rotatable stopcocks	Outer Ø	WL	Product no.	Obturator for arthroscope OD 6/6.3mm cannulated, capacity 2mm
ArthroLution sheath for arthroscope OD 6mm with automatic click-lock mechanism	•	6.0 mm	145 mm	8912312603	891234073
Also: Sealing part for sheath					89101.0000

For continuous i Comprising:	rrigation	2 rotatable stopcocks	Outer Ø	WL	Product no.	Obturator for arthroscope OD 5.3/6 mm, semi-blunt, capacity 2mm
ArthroLution sheath	ArthroLution sheath for arthroscope OD 5.3mm, with automatic click- lock mechanism		5.3 mm		8912312533	891234052
and outer sheath	Outer sheath for arthroscope OD 6.3mm	•	6.3 mm	130 mm	8912300633	071234032
Also: Sealing part fo	r sheath	4		I		89101.0000


**COXARTIS** 

### **Access Instruments**


Cannula for punction, guide wire, marking rod

### Telescope and Sheath Systems

for 4 mm arthroscopes, extra long



Recommended accessories		Product no.
Perf. basket for standard telescope 1	(L x B x H) 297 x 59 x 54 mm	38015
Fiber light cable bndl Comprising: Fiber light cable (80663523), adapter projector side (8095.07) and adapter endoscope side (809509)	Ø 3.5 mm, 2.3 m long	806635231



				R. WOLLS
	Ø	Capacity	WL	Product no.
Cannula for punction Ø 2.6/2mm WL 200mm with internal needle, (PACK= 2 PCS)	2.6 mm	2.0 mm	200 mm	891732018

	Ø	TL	Product no.
Nitinol guide wire Ø 2mm (PACK= 2 PCS)	2.0 mm	450 mm	891534020

	Ø	Capacity	ΤL	Product no.
Marking rod Ø 4.0mm cannulated	4.0 mm	2.25 mm	325 mm	891532040
Marking rod Ø 4.0mm conical blunt	4.0 mm	-	325 mm	8863.75

Access Instruments

Guide tube

## COXARTIS

**Access Instruments** 

Dilation system



2



	Ø	Capacity	WL	Product no.
Guide sheath slitted WL 120 mm SZ 7 mm slotted	2.6 mm	2 mm	200 mm	891237012
Obturator for guide tube cannulated			142 mm	891232070


891532050 / 891532070 / 891532090							
	Color coding	Ø	Capacity	WL	Product no.		
Dilatator Ø 5mm WL 200mm  cannulated	green	5.0 mm			891532050		
Dilatator Ø 7mm WL 200mm  cannulated	blue	7.0 mm	2.0 mm	200 mm	891532070		
Dilatator Ø 9mm WL 200mm  cannulated	red	9.0 mm			891532090		
Handle attachment for dilatators	891530000						

Irrigation Cannula











Aiming device bndl Comprising:	Hip alignment ARC (891240100), Hip guide sleeve (891240200), Guide attachment AD hip (891240300), Rotatable irrigation ring hip (891240400)	891240000
<b>Hip alignment ARC</b> with adapter for rotatable irrigation ring		891240100
Hip guide sleeve for connection to puncture cannula 891732018		891240200
Guide attachment AD hip for connection to guide sleeve		891240300
Rotatable irrigation ring hip rotatable with 2 stopcocks and adapter for alignment bracket		891240400

Hook Probe / Banana Knife

# spirit of excellence

### **COXARTIS**

Curette and Microfractor





	4200014002	•
	WL	Product no.
Banana knife WL 125mm	125 mm	8436.251

		P-76-760 R WIDLF 89160.3007	2 73
	Width	WL	Product no.
Convex rasp WL 175mm W 4.75mm rough	4.75 mm	175 mm	89160.3002

	(6		
	Ø	WL	Product no.
Curette, square, Ø 4.5mm WL 170mm	4.5 mm		891632245
Curette, square, Ø 5mm WL 170mm  double-blade	5.0 mm	170	891632260
Curette, round, Ø 4.8mm WL 170mm upward	4.8 mm	- 170 mm	891631255
Curette, round, Ø 6.3mm WL 170mm	6.3 mm		891631270

	U Comp. (210224)		
	Deflection	WL	Product no.
Microfractor WL 170mm 15°	Curved 15°		891631521
Microfractor WL 170mm 30°	Curved 30°		891633021
Microfractor WL 170mm 45°	Curved 45°		891634521
Microfractor WL 170 mm 35°	35° S-shaped	170 mm	891633522
Microfractor WL 170mm 60°	Curved 60°		891636021
Microfractor WL 170mm 60°	60° S-shaped		891636022
Microfractor WL 170mm 80°	Curved 80°		891638021

Hip


**COXARTIS** 

spirit of excellence

**COXARTIS** anthroine Punch



PULSEShifter Microfractor / Grasping Forceps



	Ø	WL	Product no.			
Grasping forceps Ø 3.4mm  straight jaw section, serrated, handle with lock	3.4 mm	130 mm	8488.096			

for cleaning, disinfection, and sterilization	Push control rod can be opened up for cleaning, disinfection, and sterilization	arthro.
---	---	---------

,								
ARTHROline	Jaw section (Height)	WL	Straight	Curved to the left	Curved to the right	Sheath curved upward	Jaws curved upward	Product no.
Punch WL 180mm H 1.6mm			•				•	891432102
Sectional view:	-							
Punch WL 180mm H 1.6mm				•			•	891432101
Punch WL 180mm H 1.6mm	- 1.6 mm	180 mm						891432103
Sectional view:								691432103
Punch WL 180mm H 1.6mm						•	•	891432122
Sectional view:								

### **COXARTIS**

### Accessories



spirit of excellence

Spare part and accessory	Product no.
Sterile adapter eyecup for replacing the endoscope under sterile conditions, locking mechanism	8580.91
Sealing part for sheath	89101.0000
Irrigation ring with 1 stopcock	150081761
Irrigation ring with 2 stopcocks	150081762
Stopcock bndl cap 3.0mm (PACK= 5 PCS)	896.0002
Mounting ring	15008.1704
Spare seal set  Comprising:  O-ring 9.25X 1.78 VMQ-70 coated (15364396)  O-ring 7.65X 1.78 VMQ-70 coated (15364395) (PACK= 5 PCS)	15176.142
Also: O-ring tool	15106.230







**Telescopes and Sheaths** 

Instruments – Drainage Cannulas / Hook Probes / Guide and Marking Rods / ARTHROline Punches / Scissors / Forceps

Instruments for Endoscopically Assisted Decompression of the Ulnar Nerve



## anthroacope Lution Arthroscope

## Overview

VII.21 || Subject to modifications. Please note that some products may not be available in all countries. For more detailed information, please consult with your contact partner or directly with Richard Wolf GmbH.


arth	arthro <sub>lution</sub>		Fingers, toes	Hand	Foot,	elbow	Knee, shoulder, hip
		Telescope Ø	1.9 mm	2.4 mm	2.7	mm	4.0 mm
		PANOVIEW telescope	8860453	8871413	8476.433	8672.422	8880.543
Telescopes	30°	PANOVIEW wide angle telescope					8885.443
Teles	700	PANOVIEW telescope					8880.545
	70°	PANOVIEW wide angle telescope					8885.445
		Sheath WL	40 mm	60 mm	77.5 mm	145 mm	130 mm
	wit	h 1 irrigation stopcock, fixed	891220124	891220132			
	with 2 irrigation stopcocks, fixed	a 2 irrigation stopcocks, fixed					89121.0260
	with 1 irrigation stopcock, rotatable					891241141	
Sheaths	with 2 irrigation stopcocks, rotatable  High-Flow with 1 irrigation stopcock, fixed			891221232	891221241	891241241	89121.1260
			891220128				
	High-Flow with 2 irrigation stopcocks, rotatable			891221235			89121.1263
	Small-co	aliber with 2 irrigation stopcocks, rotatable					891221255
		blunt			891222754		89121.0544
Obturators		semi-blunt	891221952	891222452			89121.0542
		conical blunt			891222750	891242750	89121.0540
		sharp				891242761	89121.0640
		conical pointed	891221962	891222462	891222762		
Sealing	part for sh	eath				891040000	



# Telescope 2.7 mm for Standard Arthroscope







	SL	- 9 - 3	4	
			134	TOGLAVE ° C / 273° F
Direction of view		SL	Ø	Product no.
0°	PANOVIEW telescope 0° Ø 4mm SL 170mm			8880.541
30°	PANOVIEW telescope 30° Ø 4mm SL 170mm	170 mm	4.0 mm	8880.543
45°	PANOVIEW telescope 45° Ø 4mm SL 170mm			8880.544
70°	PANOVIEW telescope 70° Ø 4mm SL 176mm	176 mm		8880.545

Recommended accessories	Product no.	
Perf. basket for standard telescope 1	(L x B x H) 297 x 59 x 54 mm	38015
Fiber light cable bndl Comprising: Fiber light cable (80663523), adapter projector side (8095.07) and adapter endoscope side (809509)	Ø 3.5 mm, 2.3 m long	806635231

Recommended accessories		Product no.
Perf. basket for standard telescope 1	(L x B x H) 297 x 59 x 54 mm	38015
Fiber light cable bndl Comprising: Fiber light cable (80663523), adapter projector side (8095.07) and adapter endoscope side (809509)	Ø 3.5 mm, 2.3 m long	806635231




## anthrougheath for Arthroscope

anthroution Sheath for Arthroscope




WOLF A

with automatic click-lock mechanism



Recommended accessories		Product no.
Sealing part for sheath		89101.0000
Marking rod Ø 4.0 mm, TL 325 mm	conical blunt	8863.75
Spare parts		
Irrigation ring with 1 stopcock		150081761
Irrigation ring with 2 stopcocks		150081762
Stopcock bndl cap 3.0mm (PACK= 5 PCS)		896.0002
Also: Disassembly tool		38310.0001
Mounting ring		15008.1704
Spare seal set	Comprising:	
(O-rings)	O-ring, small (PACK= 5 PCS)	15176.142
(O migs)	O-ring, large (PACK= 5 PCS)	
Also: <b>O-ring tool</b> (disassembly tool)		15106.230



Recommended accessories		Product no.		
Sealing part for sheath		891040000		
Marking rod Ø 2.7 mm, TL 250 mm	conical pointed	891242725		
Spare parts				
Irrigation ring with 1 stopcock		150081761		
Irrigation ring with 2 stopcocks		150081762		
Stopcock bndl cap 3.0mm (PACK= 5 PCS)		896.0002		
Also: Disassembly tool		38310.0001		
Mounting ring		15008.1704		
Spare seal set (O-rings)	Comprising: O-ring, small (PACK= 5 PCS) O-ring, large (PACK= 5 PCS)	15176.142		
Also: <b>0-ring tool</b> (disassembly tool)	,	15106.230		


Ortho84



# Drainage Cannula Ø 2.3 mm / 3.7 mm

## Hook Probe / Marking Rod





Drainage for cannula and obturator	Capacity	Ø	WL	Product no.
Orainage for cannula Ø 3.2mm  NL 80mm  with 1 insufflation stopcock	2.3 mm	3.2 mm	80 mm	8302.09
Orainage for cannula Ø 4.5mm VL 71.5mm vith 1 insufflation stopcock	3.7 mm	4.5 mm	71.5 mm	8303.09
Orainage for cannula Ø 4.5mm WL 71.5mm with 2 insufflation stopcocks	3.7 mm	4.5 mm	71.5 mm	8303.50
Obturator for cannula OD 3.2mm harp, with slanted tip	2	2.3 mm	103 mm	8302.101
Obturator for cannula OD 3.2mm conical blunt tip	-	2.3 mm	103 mm	8302.11
Obturator for cannula OD 4.5mm sharp, with pyramid-shaped tip		4.5 mm	115 mm	8303.10
Obturator for cannula OD 4.4mm conical blunt tip		4.4 mm	115 mm	8303.11
Also:	, , , , , , , , , , , , , , , , , , ,			
Silicone tube vith Luer fitting 886.00	for Drainage for cannula 8302.09			8302.90
Silicone tube with Luer fitting 886.01	for Drainage for cannula 8303.09 /.50		Length 2.0 m	8303.90

8303.09 /.50

P757962 □ R.WOLF 8399.901 (€ 6						
	н	WL	Product no.			
Hook probe WL 115mm H 7mm, graduated	7.0 mm	115 mm	8399.901			
Hook probe WL 115mm H 4.5mm, graduated	4.5 mm	113 111111	8399.95			

	Ø	TL	Product no.			
Hook probe TL 228 mm SZ 4.4mm	4.4 mm	228 mm	8863.80			

	8863.75		
R.OHJLF Usermany 5912	891242725		
	Ø	TL	Product no.
Marking rod Ø 4.0mm conical blunt	4.0 mm	325 mm	8863.75
Marking rod Ø 2.7mm conical pointed	2.7 mm	250 mm	891242725

Ortho86

arthroline Punch

Elbow / Foot





Sectional view:







ARTHROline	Jaw section (Height x width)	Cut width	WL	Stra- ight	Curved to the right	Curved to the left	Sheath curved upward	Jaw section curved upward	Product no.
Punch W 4.6mm H 1.6mm movable jaw section serrated  Sectional view:				•					89140.0105
Punch W 4.6mm H 1.6mm movable jaw section serrated  Sectional view:	1.6 x 4.6 mm							•	89140.0102
Punch W 4. mm H 1.6mm movable jaw section serrated  Sectional view:		3.3 mm	120 mm				•		89140.0122
Punch W 5.5mm H 1.6mm movable jaw section serrated  Sectional view:						•		•	89140.0101
Punch W 5.5mm H 1.6mm movable jaw section serrated	1.6 x 5.5 mm				•			•	89140.0103

Push control rod can be opened up for cleaning, disinfection, and sterilization						
ARTHROline	Jaw section (Height x width)	Cut width	WL	Straight	Jaw section curved upward	Product no.
Hook punch W 3mm H 1.6mm  Sectional view:	1.6 x 3.0 mm	1.8 mm		•		89140.0205
Hook punch W 3mm H 1.6mm  Sectional view:					•	89140.0202
Basket punch W 6.5mm H 2.1mm oval  Sectional view:	2.1 x 6.5 mm	4.5 mm	120 mm -	•		89140.0305
Basket punch W 6.5mm H 2.1mm oval  Sectional view:					•	89140.0302
Hook punch W 4mm H 2.1mm  Sectional view:	2.1 x 4.0 mm	2.1 mm		•		89140.0405
Hook punch W 4 m H 2.1mm	2.1 X 4.U MM	2.1 mm			•	89140.0402

Ortho90

Elbow / Foot

## arthraine Punch / Scissors Punch

## Suction Punch with Integrated Suction Channel





ARTHROline	Jaw section (Height x width)	Cut width	WL	Straight	Retrograde cutting	Jaw secti- on curved upward	Product no.
Scissors punch W 2.4mm H 2.1mm							89140.0505
Sectional view:	2.1 x 2.4 mm	0.9 mm					67140.0303
Scissors punch W 2.4mm H 2.1mm	2.1 X 2.4 MM	0.9 mm					
Sectional view:						•	89140.0502
Punch W 5.7mm H 4mm retrograde left-cutting			120 mm				
Sectional view:				•	left		89140.0605
Punch W 5.7mm H 4mm retrograde right-cutting	4.0 x 5.7 mm	2.3 mm					
Sectional view:				•	right		89140.0602

		723	
	Ø	WL	Product no.
Suction punch Ø 2.7 mm with integrated suction channel	2.7 mm	110 mm	89140.0027



## Grasping Forceps / Miniature Forceps

### Hook Punch / Punch

			R.UC	(2,7)		
Sheath	Jaw	Cut		Curved	Curved	She

	Sheath Ø	WL	Jaw section (Height x width)	Cut width	Straight	Curved to the left	Curved to the right	Sheath curved 15° upward	Jaw section curved 15° upward	Product no.
Hook punch Ø 3,4mm with shovel					•					8488.951
	3,4 mm		3,4 x 3,4	1.4 mm		•				8488.952
	3,4 111111		mm	0 mm			•			8488.953
Sectional view:								•		8488.954
Hook punch Ø 3.4mm movable jaw section serrated			3,4 x 3,4		•					8488.02
Sectional view:	3,4 mm	130 mm	mm	1,6 mm					•	8488.025
Hook punch Ø 3.4mm serrated	2.4		1,93 x	0.7	•					8488.121
Sectional view:	3,4 mm		3,9 mm	2,7 mm					•	8488.063
Hook punch Ø 4.5mm with shovel, serrated  Sectional view:	4,5 mm		1,73 x 5,4 mm	3,4 mm					•	8489.063


		3 Trans	
	ø	WL	Product no.
Grasping forceps Ø 3.4mm straight jaw section, serrated, handle with lock	3.4 mm	130 mm	8488.096


	RUULF	STANGED CHOCKETY	
With overload protection and irrigation connector	Sheath Ø	WL	Product no.
Miniature forceps Ø 2.7mm  with double spoon jaw			8486.614
Miniature grasping forceps Ø 2.7mm	2.7 mm	110 mm	8486.624
Hook punch Ø 2.7mm			8486.604

# R.WOLF C.D STORY OF THE STORY O

	Jaw section (Height x width)	Deflection	Cut width	WL	Product no.
Punch Ø 3.4mm front- and side-cutting		90° left			8404.017
Sectional view:	2.2 x 5.3 mm	90° right	3.4 mm		8404.018
Hook punch with shovel Ø 3.4mm	21,120,000	45° left	1.7 mm	130 mm	8404.71*
Sectional view:	2.1 x 2.0 mm	45° right	1.7 mm		8404.81*

<sup>\*</sup> particularly suitable for lateral cutting and smoothing





Elbow / Foot

WOLF A

spirit of excellence

### Hand Instruments Curette / Microfractor



### Instruments for Endoscopically Assisted Decompression of the Ulnar Nerve Optical dissector / telescope



	SL	A		
			134	TOGLAVE ° C / 273° F
Direction of view		SL	Ø	Product no.
30°	PANOVIEW telescope 30° Ø 4mm SL 170mm	170 mm	4.0 mm	8880.543

Recommended accessories		Product no.
Perf. basket for standard telescope 1	(L x B x H) 297 x 59 x 54 mm	38015
Fiber light cable bndl Comprising: Fiber light cable (80663523), adapter projector side (8095.07) and adapter endoscope side (809509)	Ø 3.5 mm, 2.3 m long	806635231





Ortho96




VII21 || Subject to modifications. Please note that some products may not be available in all countries. For more detailed information, please consult with your contact partner or directly with Richard Wolf GmbH.

# Instruments for Endoscopically Assisted Decompression of the Ulnar Nerve

Speculum







Hand / Fingers / Toes

### Hand / Fingers / Toes

	Arthrolution Arthroscopes Overview
5.2	Telescopes and Sheaths

ENDO-CARTRIS – Instruments for Carpal Tunnel Release

Punches / Forceps / Instruments for Small Joints



## arthroscope Arthroscope

## Overview

VII.21 || Subject to modifications. Please note that some products may not be available in all countries. For more detailed information, please consult with your contact partner or directly with Richard Wolf GmbH.

arth	nr <sub>Putio</sub>	u	Fingers, toes	Hand	Foot,	elbow	Knee, shoulder, hip
		Telescope Ø	1.9 mm	2.4 mm	2.7	mm	4.0 mm
		PANOVIEW telescope	8860453	8871413	8476.433	8672.422	8880.543
Telescopes	30°	PANOVIEW wide angle telescope					8885.443
Teles	700	PANOVIEW telescope					8880.545
	70°	PANOVIEW wide angle telescope					8885.445
		Sheath WL	40 mm	60 mm	77.5 mm	145 mm	130 mm
	with	n 1 irrigation stopcock, fixed	891220124	891220132			
	with	2 irrigation stopcocks, fixed					89121.0260
	with 1	irrigation stopcock, rotatable				891241141	
Sheaths	with 2	irrigation stopcocks, rotatable		891221232	891221241	891241241	89121.1260
	High-Flo	w with 1 irrigation stopcock, fixed	891220128				
	High-F	low with 2 irrigation stopcocks, rotatable		891221235			89121.1263
	Small-co	aliber with 2 irrigation stopcocks, rotatable					891221255
		blunt			891222754		89121.0544
		semi-blunt	891221952	891222452			89121.0542
Obturators		conical blunt			891222750	891242750	89121.0540
		sharp				891242761	89121.0640
		conical pointed	891221962	891222462	891222762		
Sealing p	oart for she	eath				891040000	

Hand



### Telescope 1.9 mm / 2.4 mm for Standard Arthroscope





spirit of excellence

with automatic click-lock mechanism



	SL —	4	<u> 134</u>	TOGLAVE S°C/273°F
Direction of view		SL	Ø	Product no.
30°	PANOVIEW telescope 30° Ø 1.9mm SL 61mm	61 mm	1.9 mm	8860453
30°	PANOVIEW telescope Ø 2.4mm SL 98mm	98 mm	2.4 mm	8871413

Recommended accessories		Product no.
Perf. basket for standard telescope 1	(L x B x H) 297 x 59 x 54 mm	38015
Fiber light cable bndl Comprising: Fiber light cable (80663523), adapter projector side (8095.07) and adapter endoscope side (809509)	Ø 3.5 mm, 2.3 m long	806635231

Spare parts		Product no.
Irrigation ring with 1 stopcock		150081761
Stopcock bndl cap 3.0mm (PACK= 5 PCS)		896.0002
Also: <b>Disassembly tool</b>		38310.0001
Mounting ring		15008.1704
pare seal set O-rings)	Comprising: O-ring, small (PACK= 5 PCS) O-ring, large (PACK= 5 PCS)	15176.142
Also: Disassembly tool		15106.230

Ortho102 Ortho103


Hand

## arthroscope Sheath for Arthroscope

Miniature Punch / Forceps



with automatic click-lock mechanism




Spare parts		Product no.
Irrigation ring with 1 stopcock		150081761
Irrigation ring with 2 stopcocks		150081762
Stopcock bndl cap 3.0mm (PACK= 5 PCS)		896.0002
Also: Disassembly tool		38310.0001
Mounting ring		15008.1704
Spare seal set (0-rings)	Comprising: O-ring, small (PACK= 5 PCS) O-ring, large (PACK= 5 PCS)	15176.142
Also: Disassembly tool		15106.230

Ø WL Product no. Hook punch 2.0 mm 65 mm 8486.601 Ø 2 mm Miniature punch 2.2 mm 75 mm 8486.602 Ø 2.2 mm Miniature forceps Ø 2 mm 2.0 mm 60 mm 8486.611 with double spoon jaw Miniature grasping forceps 2.0 mm 60 mm 8486.621 Ø 2 mm

	Pelatr	THE REAL PROPERTY AND ADDRESS OF THE PARTY AND	
With overload protection and irrigation connector	Sheath Ø	WL	Product no.
Miniature forceps Ø 2.7mm with double spoon jaw			8486.614
Miniature grasping forceps Ø 2.7mm	2.7 mm	110 mm	8486.624
Hook punch Ø 2.7mm			8486.604



### Instruments for Small Joints







**FLUID CONTROL** 

**Irrigation and Suction Pumps** 



# FLUID CONTROL Irrigation and Suction Pump

**5.1** 

FLUID CONTROL Arthro 2204



### FLUID CONTROL Arthro 2204

Suction and irrigation pump for arthroscopy with automatic tube recognition



### **FLUID CONTROL Arthro**

VII.2. || Subject to modifications. Please note that some products may not be available in all countries. For more detailed information, please consult with your contact partner or directly with Richard Wolf GmbH.

is a new pump system for arthroscopy and fully endoscopic spinal surgery. The particular strength of this system lies in a practical combination of high performance and a cost-effective overall concept. The new software and technical enhancements make the **FLUID CONTROL Arthro** ideal for diagnostic and therapeutic arthroscopies.

**FLUID CONTROL Arthro** has already been prepared for integration in core, the digital OR from Richard Wolf.

Suction and Irrigation

Pump



spirit of excellence

### FLUID CONTROL Arthro 2204

Suction and irrigation pump for arthroscopy with automatic tube recognition



### Arthro/spine suc./irrig.pump bndl

for arthroscopy	22040011
Comprising:	
1 x arthro/spine suc./irrig.pump 200mmHG	2204001
1 x irrigation tube set spike	8171223
1 x tube set for vacuum, incl. filter	2206207
1 x protection filter for gas filtration	4171.121
1 x power cable	2440.03

### Arthro/spine suc./irrig.pump bndl

with Spine Mode software module for arthroscopy and fully endoscopic spinal surgery	22040012
Comprising:	
1 x arthro/spine suc./irrig.pump 200mmHG	2204001
1 x Spine mode software module	2204101
1 x irrigation tube set spike	8171223
1 x tube set for vacuum, incl. filter	2206207
1 x protection filter for gas filtration	4171.121
1 x power cable	2440.03

### Recommended accessories Product no. Footswitch 2204901

### FLUID CONTROL Arthro 2204

Irrigation and suction pump for arthroscopy with automatic tube recognition




spirit of excellence

### Day-patient tube set


### From two interventions/patients per day:

Use the day-patient tube set, which comprises a day tube and a connected patient tube. The day tube remains in the pump throughout the day, while the patient tube has to be changed for each operation. The irrigation fluid bag can remain on the pump until it has been completely



used up. This significantly reduces the amount of waste and cuts costs. Further tube versions are available to complement the system.

**Note:** The use of the day-patient tube set has not been approved for the Spine Mode application.



rrigation			Product no.
Accessories - reusable	Irrigation tube set spike	With Luer-Lock connection, autoclavable, incl. 10 spare membranes, reusable for 20 reprocessing cycles	8171223
Accessories – disposable	Irrigation tube set with spike L 3 m	(PACK= 10 PCS), with Luer-Lock connection, sterile, disposable product	4171223
	Irrigation tube set CARE-LOCK, L 3 m	(PACK= 10 PCS), sterile, disposable product	4171224
	Day irrigation tube set	(PACK= 10 PCS), with piercing spike, sterile disposable product, PVC	4171226
	Patient irrigation tube set L 3m	(PACK= 10 PCS), with Luer-Lock connection, sterile, disposable product, PVC	4171227

Suction			Product no.
Accessories – reusable	Tube set for vacuum, incl. filter	with integrated hygiene filter, PACK= 10 PCS, service life of 30 days (connected to irrigation pump)	2206207
	Secretion container, 2 L	2 liters, no lid	8170.6551
Accessories – disposable	Secretion container, 2.5 L	2.5 liters (PACK= 2 PCS)	41706566
	Tube set for suction (with 2 ports)	sterile, disposable, (PACK= 10 PCS) for connecting instruments to collecting container	T0503-01


Ortho110 Ortho111



# Technical Data FLUID CONTROL Arthro 2204

Arthro/spine suc./irrig.pump 200mmHG	2204001
Power supply connection	100-240 VAC, 50/60 Hz
Power consumption	118 VA
Protection class to VDE 0750 / IEC 601	1
Classification	CF
Pressure range (infinite preselection)	15–200 mmHg
Delivery rate (can be preselected in 50 ml increments)	0–2 l/min
Dimensions (W x H x D)	300 x 157 x 436 m
Weight	8.3 kg
Interfaces	USB / CAN bus (core) service interface





## **Universal Motor Systems**

PowerS	eed AS1 Universal Motor System	
Power	rick M5/3 and M5/0 Motor Handpieces for PowerSpeed AS1	
Reusab	e Shaver Blades and Burrs	
for Pow	r Stick M5/3, Power Stick M5/0, and Micro Stick S1	
Dispos	ole Shaver Blades and Burrs	
for Pow	r Stick M5/3, Power Stick M5/0, and Micro Stick S1	



### PowerSpeed AS1

Universal motor system



The PowerSpeed AS1 motor system has been developed for universal use and provides extremely comfortable and ergonomic handling.

Quick and powerful resecting, drilling, burring, or sawing – anything is possible.

VII.2. || Subject to modifications. Please note that some products may not be available in all countries. For more detailed information, please consult with your contact partner or directly with Richard Wolf GmbH.

- Wide range of disposable and reusable shaver blades and burrs
- Intelligent tool detection via RFID chip
- Touchscreen makes user interface easy to operate
- Communication interface with FLUID CONTROL ArthroPump 2204 and core nova
- Universal use of all current Richard Wolf motor handpieces
- Wireless footswitch
- Universal use in spinal surgery, bronchoscopy, and arthroscopy

spirit of excellence

## PowerSpeed AS1

Universal motor system



### **MOTOR CONTROL UNIT 2305**

Power Speed AS1

Power supply connection 50/60 Hz, 100–240 V includes power supply cable,
CAN bus connection cable, and packaging .......

Universal motor system for orthopedics and spinal surgery, for connecting motor handpieces when working with shaver and high-speed applications, and for connecting the Power Drill M1.

Recommended accessories		Product no.
Remote footswitch 2 pedals+2 buttons	BLOCK TO	2305100
Also:		
Power supply unit 6600403		FW8002M/08
Backup cable, WL 3m		2305300

2305001

MOTOR CONTROL UNIT 2305	2305001
Power supply connection	100–240 VAC, 50/60 Hz
Power consumption	250 VA
Electromagnetic compatibility EMC to	IEC / EN 60601-1-2
Medical Devices Directive 93/42/EEC	Class IIa
Protection class to IEC / EN 60601-1 (ANSI / AAMI ES60601-1 / CAN CSA-C22.2 No. 60601-1)	ı
Protection against electric shock	Type BF applied part
Degree of protection against the ingress of liquids	IP 20 (not protected)
Operating mode	Continuous operation
Degree of protection in the presence of flammable mixtures	Device is not protected against explosions (do not operate device in areas where there is a danger of explosion)
Weight	9.2 kg
Dimensions (W x H x D)	300 x 159.5 x 404 mm

## Power Stick M5/3 Power Stick M5/0

Motor Handpieces for PowerSpeed AS1



- Handpieces with/without control panel
- Up to 16,000 rpm
- For tools with a diameter of 2.5–6.5 mm
- Oscillation frequency of up to 4 Hz

Recommended accessories		Product no.
Connection cable, WL 3m	3.0 m long	8564.851
Container (wxhxd) 400x60x200mm	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (wxhxd): 400x57x200mm, outer dimensions (BxHxT): 466x77x266mm	33022


VII21 || Subject to modifications. Please note that some products may not be available in all countries. Fo

Power Stick

### Micro Stick S1

Motor handpiece for PowerSpeed AS1

# spirit of excellence




- Mini motor handpiece for exceptional precision in small joints
- Up to 3,000 rpm
- Practical range of accessories
- For shaver tools with a diameter of 2–3.5 mm

Recommended accessories		Product no.
Container (wxhxd) 400x60x200mm	Holds: Instruments, for sterilization (steam and low-temperature), storage and transport, with instrument mat, inner dimensions (wxhxd): 400x57x200mm, outer dimensions (BxHxT): 466x77x266mm	33022



for Power Stick M5/3 and M5/0 motor handpiece, large interface





Ortho118 Ortho119

Reusable Shaver Blades and Burr

WOLF A

spirit of excellence

spirit of excellence

### Reusable Shaver Blades and Burrs

for Power Stick M5/3 and M5/0 motor handpiece, large interface



	Reusable (1 PC)	Color coding	WL	Ø	Product no.
	Resector convex curved smooth Ø 3.5mm		100	3.5 mm	89975.0253
	Resector convex curved smooth Ø 4.5mm	canary yellow	130 mm	4.5 mm	89975.0254
	Resector concave curved smooth Ø 3.5mm		120	3.5 mm	89975.0263
	Resector concave curved smooth Ø 4.5mm	canary yellow	130 mm	4.5 mm	89975.0264
	End cutter Ø 3.5mm	black	130 mm -	3.5 mm	89975.0493
	End cutter Ø 4.5mm			4.5 mm	89975.0494
	Burr round Ø 3mm		80 mm	3.0 mm	89975.0503
	Burr round Ø 4.5mm	gulf blue	130 mm	4.5 mm	89975.0504
with lateral protection	Burr round Ø 5.5mm		130 mm	5.5 mm	89975.0505
no hood	Burr round Ø 6mm	royal blue	130 mm	6.0 mm	89975.0516
	Acromionizer Ø 3.5mm			3.5 mm	89975.0553
	Acromionizer Ø 4.5mm		120	4.5 mm	899750554
R.mor.s	Acromionizer Ø 5.5mm	- purple	130 mm	5.5 mm	89975.0555
with lateral protection	Acromionizer Ø 6.5mm			6.5 mm	899750556

## Reusable Shaver Blades and Burrs

for Power Stick M5/3 and M5/0 motor handpiece for hip arthroscopy



	Reusable (1 PC)	Color coding	WL	Ø	Product no.
R.WOLF	Resector toothed Ø 4.7mm	ocher	200 mm	4.7 mm	899732004*
R.WOLF	Resector aggress Ø 4.7mm	red	200 mm	4.7 mm	899732334*
Manual Manual	Resector convex curved aggress Ø 4.7mm	red	200 mm	4.7 mm	899732254
गराम <u>अ</u>	Resector convex curved aggress Ø 4.7mm	red	200 mm	4.7 mm	899732264
with 2 mm retracted lateral protection	Burr round Ø 5.5mm	gulf blue	200 mm	5.5 mm	899732504
with 2 mm retracted lateral protection	Acromionizer Ø 5.5mm	purple	200 mm	5.5 mm	899732555

<sup>\*</sup> Shaver blade with distal guide hole for guide wire  $\emptyset$  2.0 mm

Ortho120 Ortho121

Reusable Shaver Blades and Burr

WOLF

spirit of excellence

# WOLF

spirit of excellence

Reusable Shaver Blades and Burrs

small interface

# for Micro Stick S1,



	Reusable (1 pc)	Color coding	WL	Ø	Product no.
	Resector toothed Ø 2mm		45 mm	2.0 mm	89971.0032
	Resector toothed Ø 3.5mm	ocher	130 mm	3.5 mm	89971.0033
	Resector toothed Ø 4.5mm	ocher	130 111111	4.5 mm	89971.0034
	Resector toothed Ø 2.5mm		80 mm	2.5 mm	899710132
	Resector aggress Ø 2.7mm	red	80 mm	2.7 mm	899710332
	Resector oval Ø 3.5mm	- white	130 mm	3.5 mm	89971.0113
	Resector oval Ø 4.5mm			4.5 mm	89971.0114
Tom's	Resector convex curved smooth Ø 4.5mm	canary yellow	130 mm	4.5 mm	89971.0254
370m's	Resector concave curved smooth Ø 4.5mm	canary yellow	130 mm	4.5 mm	89971.0264
with lateral protection	Burr round Ø 3mm	gulf blue	80	3.0 mm	89971.0503

## Disposable Shaver Blades and Burrs

for Power Stick M5/3 and M5/0 motor handpiece



	Disposable (5 PCS, in individual sterile packaging)	Color coding	WL	Ø	Product no.
	Resector smooth Ø 3.5mm			3.5 mm	49975.0003
R.WOLF	Resector smooth Ø 4.5mm	canary yellow	130 mm	4.5 mm	49975.0004
	Resector smooth Ø 5.5mm			5.5 mm	49975.0005
	Resector toothed Ø 3.5mm			3.5 mm	49975.0033
	Resector toothed Ø 4.5mm	ocher	130 mm	4.5 mm	49975.0034
	Resector toothed Ø 5.5mm			5.5 mm	49975.0035
	Resector aggress Ø 2.5mm		80 mm	2.5 mm	499750332
····	Resector aggress Ø 3.5mm	- red		3.5 mm	49975.0333
CHANG	Resector aggress Ø 4.5mm	ieu _	130 mm	4.5 mm	49975.0334
	Resector aggress Ø 5.5mm			5.5 mm	49975.0335
	Resector oval Ø 3.5mm			3.5 mm	49975.0113
	Resector oval Ø 4.5mm	white	130 mm	4.5 mm	49975.0114
	Resector oval Ø 5.5mm			5.5 mm	49975.0115

Ortho122 Ortho123

protection



## Disposable Shaver Blades and Burrs

for Power Stick M5/3 and M5/0 shaver handle





for Power Stick M5/3 and M5/0 shaver handle for hip arthroscopy





Disposable Shaver Blades and Burrs

	and the same of th				
	Disposable (5 PCS, in individual sterile packaging)	Color coding	WL	ø	Product no.
	Resector convex curved smooth Ø 3.5mm			3.5 mm	49975.0253
	Resector convex curved smooth Ø 4.5mm	canary yellow	130 mm	4.5 mm	49975.0254
	Resector convex curved smooth Ø 5.5mm			5.5 mm	49975.0255
	Resector concave curved smooth Ø 3.5mm		130 mm 4.5	3.5 mm	49975.0263
	Resector concave curved smooth Ø 4.5mm	canary yellow 130 mm		4.5 mm	49975.0264
	Resector concave curved smooth Ø 5.5mm			5.5 mm	49975.0265
	End cutter Ø4.5 mm	black	130 mm	4.5 mm	49975.0494
with lateral protection	Burr round Ø 4.5mm	gulf blue	130 mm	4.5 mm	49975.0504
no hood	Burr round Ø 6mm	gulf blue	130 mm	6.0 mm	49975.0516
	Acromionizer Ø 3.5mm			3.5 mm	49975.0553
	Acromionizer Ø 4.5mm		100	4.5 mm	499750554

130 mm

5.5 mm

6.5 mm

purple

Acromionizer Ø 5.5mm

Acromionizer Ø 6.5mm

	Disposable (5 PCS, in individual sterile packaging)	Color coding	WL	Ø	Product no.
	packaging)  Resector curved universal Ø 4.5mm	gray	160 mm	4.5 mm	499732274
with 2 mm retracted lateral protection	Resector universal Ø 4.5mm	gray	160 mm	4.5 mm	499732344
with 2 mm retracted lateral protection	Burr oval Ø 5.5mm	purple	160 mm	5.5 mm	499732565

Ortho124 Ortho125

49975.0555

499750556



## Disposable Shaver Blades and Burrs

for Micro Stick S1



	Disposable (5 PCS, in individual sterile packaging)	Color coding	WL	Ø	Product no.
	Resector toothed Ø 2mm	ocher	45 mm	2.0 mm	49971.0032
	Resector toothed Ø 3.5mm	ocner	130 mm	3.5 mm	49971.0033
	Resector aggress Ø 2.5mm	red	80 mm	2.5 mm	499710332
	Resector oval Ø 3.5mm	white	130 mm	3.5 mm	49971.0113
with lateral protection	Burr round Ø 3mm	gulf blue	130 mm	3.0 mm	49971.0503
with lateral protection	Burr oval Ø 3.5mm	canary yellow	130 mm	3.5 mm	49971.0553



Battery-powered tools bee-system II

for all orthopaedic indications and large bone surgery



# Battery-powered tools bee-system II

bee-system II Drill & Ream machine / Dri	II machine sta	andard	
bee-system II Oscillating Reaming machin	ne / saws		
Powerpack / Battery charger / Accessories	<b>,</b>		



## bee-system II

### Battery-powered tools

for all orthopaedic indications and large bone surgery



#### Drill & Ream machine

consult with your contact partner or directly with Richard Wolf GmbH.

in all countries. For more detailed information,

The new bee-system II universal Drill and Ream handpiece for all orthopaedic indications and large bone surgery. Drill & Ream machine with Right / Left (CW and CCW) rotation lever for oscillating mode on / off and trigger for manual speed regulation with ring for switch Drill and Ream mode.

- With Right / Left (forward / backward rotation)
- Lock position
- Oscillating mode on / off
- Continuously adjustable rotation speed
- Drill with 2 speed ranges, switch to change from Drill to Ream mode

### **Drill machine standard**

The new bee-system II small handpiece for all drill attachments incl. Kirschner pin driver with continuously adjustable rotation speed.

- With Right / Left (CW / CCW) rotation
- Lock position
- Continuously adjustable rotation speed

### Oscillating reaming machine

The new Oscillating Reaming machine for use in anterior cruciate ligament reconstruction.

- Lock position
- Continuously adjustable oscillation speed

### Oscillating saws

Oscillating saws are available in two versions:

Oscillating saw,  $4^{\circ}$  (lateral movement) for Synthes / AO saw blades and oscillating saw for Stryker sawblades.

Sagittal oscillating saw in bone surgery:

- With rotatable saw blade clampin in 45° steps (8 positions)
- Manual speed adjustment and oscillating mode
- Shift lever for operating in two different speeds
- With AO-Synthes and Stryker connection of the saw blade

#### Sterum saw

Sternum saw with protection sleeve and keyless chuck with continuously adjustable rotation speed and switch lever from Step I to II. Basic model can be used as reciprocating saw.

Rotate the attachment / chuck to the desired position. Locking always at  $90^{\circ}$ .

- Precise cutting guide with good visibility conditions
- Easy clamping of sawblade (no tools required)
- Use of saw blades with Stryker adaption
- Attachment of protection sleeve in 4 different positions possible (locking at 90°)
- Basic model to be used as receprocating

### Powerpack and battery charger

- 1 powerpack for all machines
- 3 chargers with charge status display

Drill and Ream machine

WOLF A

spirit of excellence

spirit of excellence

# bee-system II

### Drill and ream machine

for all orthopaedic indications and large bone surgery



			Product no.
	beesystemil drill & ream machine	with Right / Left (CW and CCW) rotation lever for oscillating mode on / off and trigger for manual speed regulation with ring for switch Drill and Ream mode	F-31-100-00

Accesories see page Ortho132-Ortho133 / Ortho142


- With Right / Left (forward / backward rotation)
- Lock position
- Oscillating mode on / off
- Continuously adjustable rotation speed
- Drill with 2 speed ranges, switch to change from Drill to Ream mode

Technical data F-31-100-00	
Handpiece dimensions (without attachment)	162 x 93 x 198 mm
Weight of handpiece with powerpack	1850 g
Continuously adjustable rotation speed	0 - 1000 rpm (drill mode)/0 - 250 rpm (ream mode)
Cannulation	Ø 4.3 mm
Protection class	B, EN 60601-1
Power supply	Internal battery

# bee-system II

### Drill machine standard

for all drill attachments incl. Kirschner pin driver with continuously adjustable rotation speed



beesystemII drill machine standard	F-31-150-00

Accesories see page Ortho132-Ortho133 / Ortho142

- With Right / Left (CW / CCW) rotation
- Lock position
- Continuously adjustable rotation speed

Technical data F-31-150-00		
Handpiece dimensions (without attachment)	137 x 93 x 197 mm	
Weight of handpiece with powerpack	1660 g	
Continuously adjustable rotation speed	0 - 1000 rpm	
Cannulation	Ø 4.3 mm	
Protection class	B, EN 60601-1	
Power supply	Internal battery	

Drill and Ream machine



spirit of excellence

# bee-system II

# Drill & ream and drill machines standard Accessories

Accessories		for Drill & Ream F-31-100-00	for Drill standard F-31-150-00	Product no.
Wire/pin driver (for drill/ream)(Ø1-4mm)	for use with K-wires with: Ø 1.0 mm (Drill mode) to Ø 4.0 mm (Ream mode)	•		F-30-100-10
Wire/pin driver (for standard)(ø 1-4mm)	for use with K-wires with: Ø 1.0 mm (Drill mode) to Ø 4.0 mm (Ream mode)		•	F-30-100-15
Extension guide for wire/pin driver		•	•	F-30-100-19
Adapter for drill guide, radiolucent		•	•	F-30-100-25
AO-connector small	for drilling and milling, cannulated, Ø 2,5mm	•	•	F-30-100-50
AO-connector large	for drilling and milling, cannulated, Ø 4,3mm	•	•	F-30-100-51
1/4" connector	cannulated, Ø 4,3 mm	•	•	F-30-100-52
Hudson connector	cannulated, Ø 4,3 mm	•	•	F-30-100-53

# bee-system II

# Drill & ream and Drill machines standard Accessories



10003301103				
Acessories		for Drill & Ream F-31-100-00	for Drill standard F-31-150-00	Product no.
Harris connector	cannulated, Ø 4,3 mm	•	•	F-30-100-54
Hexagonal connector SW6	cannulated, Ø 4,3 mm	•	•	F-30-100-55
DIN coupling for tools		•	•	F-30-100-56
Drill attachment Jackobs chuck small	with drill chuck key, for drills with sheath diameter 0-4.0mm	•	•	F-30-100-60
Drill attachment Jackobs chuck large	with drill chuck key, for drills with sheath diameter 0-6.5 mm	•	•	F-30-100-61
Röhm- tree jaw chuck	with drill chuck key, for drills with sheath diameter 0-7.0 mm	•	•	F-30-100-62
Quick action chuck with rachet	cannulated, Ø 6,0 mm	•	•	F-30-100-63
Quick action chuck without rachet	cannulated, max. Ø 6,0 mm	•	•	F-30-100-64
Albrecht quick action chuck	cannulated, max. Ø 3.5 mm			F-30-100-65

cannulated, Ø 4,3 mm

• F-30-100-53

Albrecht quick action chuck

Oscillating Reaming machine/Saws

RICHARD (H)

spirit of excellence




spirit of excellence

# bee-system II

### Oscillating reaming machine

for use in anterior cruciate ligament reconstruction



- Lock position
- Continuously adjustable oscillation speed

Accesories see page 135-Ortho137 / Ortho142


Technical data F-31-700-00	
Handpiece dimensions (without attachment)	140 x 111 x 206 mm
Weight of handpiece with powerpack	1550 g
Continuously adjustable rotation speed	0 - 9000 rpm (Step 1)/0 - 11000 rpm (Step 11)
Protection class	B, EN 60601-1
Power supply	Internal battery


## bee-system II

### Oscillating reaming machine

Tools for harvesting quadriceps tendon or patellar tendon graft with bone block for ACL reconstruction







Oscillating Reaming machine/Saws

WOLF

spirit of excellence





spirit of excellence

# bee-system II

## Oscillating reaming machine

Tools for reimplanting and press-fit fixation of BT or BTB grafts





# bee-system II

### Oscillating reaming machine

Tools for hollow drills sets for harvesting cylindrical bone blocks when creating the tibial drill channel



Hollow drill bit and ejector	Außen-Ø	Innen-Ø	NL	Product no.
Hollow drill bit SZ 8	8,5 mm	7,4 mm	185	8869849
also: Ejector SZ 8				8869850
Hollow drill bit SZ 9	9,5 mm	8,4 mm	185 mm	8869.851
also: Ejector SZ 9				8869.852
Hollow drill bit SZ 10	10,5 mm	9,4 mm	185 mm	8869.853
also: Ejector SZ 10				8869.854

Base section , aiming spoon and aiming hook		Product no.
a de la constantina della cons	Base section for tibial drill graduated	8874.111
	Aiming hook tibial ACL	8874.121
	Aiming spoon tibial ACL	8874.123

Bohrdrahtführung Hohlbohrer, Bohrert	Bohrdrahtführung Hohlbohrer, Bohrerführung Hohlbohrer	
	Alignment wire guide hollow drill SZ 2.5 for use with base section 8874.111	
Drill guide for hollow drill bit SZ 8 for use with base section 8874.111 and hollow drill bit 8869849 SZ 8		8874150
	Drill guide for hollow drill bit SZ 9 for use with base section 8874.111 and hollow drill bit 8869.851 SZ 9	8874.152
	Drill guide for hollow drill bit SZ 10 for use with base section 8874.111 and hollow drill bit 8869.853 SZ 10	8874.153

Oscillating Reaming machine/Saws

spirit of excellence



### spirit of excellence

# bee-system II

## Oscillating saws



		Duadretina
		Product no.
beesystemII sagital oscillating saw, 4°	(lateral movement) with connection for AO-Synthes saw blades	F-31-300-00
beesystemII sagital oscillating saw	with connection for Stryker sawblades	F-31-310-00
Accesories see page Ortho142		

- With rotatable saw blade clamping in 45° steps (8 positions)
- Manual speed adjustment and oscillating mode
- Shift lever for operating in two different speeds
- With AO-Synthes and Stryker connection of the saw blade

Technical data F-31-300-00 / F-31-310-00	
Handpiece dimensions (without attachment) 166 x 111 x 211 mm	166 x 111 x 211 mm
Weight of handpiece with powerpack 1760 g	1760 g
Continuously adjustable rotation speed 0 - 9000 cpm (Step 1) / 0 - 11000 cpm (Step II)	0–9.000 Zy./min (Stufe I) / 0–11.000 Zy./min (Stufe II)
Protection class B, EN 60601-1	B, EN 60601-1
Power supply Internal battery	Interner Akku

## bee-system II



		Product no.
beesystemil sternum saw	with keyless sternum attachment (F-30-400-05)	F-31-601-00
Accesories see page Ortho142		

- Precise cutting guide with good visibility conditions
- Easy clamping of sawblade (no tools required)
- Use of saw blade with Stryker adaption
- Attachment of protection sleeve in 4 different positions possible (locking at 90°)
- Basic model to be used as receprocating

Technical data F-31-601-00		
Handpiece dimensions (without attachment)	185 x 111 x 206 mm	
Weight of handpiece with powerpack	1750 g	
Continuously adjustable rotation speed	0 - 7500 cpm (Step 1)/0 - 10000 cpm (Step 11)	
Protection class	B, EN 60601-1	
Power supply	Internal battery	

8.3

F-30-900-52


Ladegerät

spirit of excellence

spirit of excellence

# bee-system II

## One powerpack for all machines



- 1 powerpack for all handpieces
- Includes control unit, battery, electronics, and motor united in one powerpack
- Automatic recognition
   of the performance parameters according to the used handpiece
- Unique durability, no need to sterilize delicate components

- Latest battery technology long lifetime, no memory effect
- Display for battery charging status: green, orange, red (discharged)
- White LEDs for additional illumination of the OR field

Technical data F-30-900-00	
Dimensions	89 x 87 x 102 mm
Weight	760 g
Туре	Li-ion
Max. voltage	16.8 V
Operating voltage (rated voltage)	14.4V
Capacity	2.1 Ah
Typical charging time period	< 90 min

## bee-system II

## Battery charger



All charging units indicate the charging status of the powerpacks.

Battery charger (4 charging slots)

In addition to the charging status at the powerpack, the charger displays the charging capacity per powerpack slot.

Technical data F-30-900-50/51/52		
Dimensions	1 charging slot: 157 x 140 x 79 mm 2 charging slots: 240 x 190 x 130 mm 4 charging slots: 520 x 190 x 130 mm	
Weight	1 charging slots: 1740 g 2 charging slots: 4939 g 4 charging slots: 8700 g	
Туре	Li-ion battery charger	
Input	100 - 240 V AC 50 - 60 Hz 0,9 A	
Output	16,8 V DC 2,0 A	


VII21  $\parallel$  Subject to modifications. Please note that some products may not be availa



# 

# bee-system II

## Accessories



spirit of excellence



Specifications subject to change without notice.

Trade Register: Mannheim HRB 510031 VAT no.: DE144521586 Tax no.: 48020/00171

